



小型钮子开关 Miniature Toggle Switch MTS Series



型号说明 Ordering Information

MTS-102-A1



技术特性 Specification

- 规格 Rating: 6A 125VAC; 3A 250VAC
 - 接触电阻 Contact Resistance: 20mΩ max
 - 绝缘电阻 Insulation Resistance: 500VDC 1000MΩ min
 - 耐电压 Dielectric Strength: 1500VAC, 1Minute
 - 操作温度 Operating Temperature: -25°C ~ +85°C
 - 电气寿命 Electrical Life: 10,000 Cycles
- 基座颜色 Base color


电路特性 Circuitry trait

型号 Model No	电路特性 Circuitry trait			类型 Type	端子数 Terminals
MTS-101	ON	—	OFF	SPST	2P
MTS-102	ON	—	ON	SPDT	3P
MTS-112	ON	—	(ON)	SPDT	3P
MTS-103	ON	OFF	ON	SPDT	3P
MTS-113	ON	OFF	(ON)	SPDT	3P
MTS-123	(ON)	OFF	(ON)	SPDT	3P

材料 Material	基座颜色 Base color	
塑料 PBT	蓝 Blue	
电木 Bakelite	红 Red	黑 Black


型号 Model No	电路特性 Circuitry trait			类型 Type	端子数 Terminals
MTS-201	ON	—	OFF	DPST	4P
MTS-202	ON	—	ON	DPDT	6P
MTS-212	ON	—	(ON)	DPDT	6P
MTS-203	ON	OFF	ON	DPDT	6P
MTS-213	ON	OFF	(ON)	DPDT	6P
MTS-223	(ON)	OFF	(ON)	DPDT	6P

防水帽 Water proof cap




() 回弹指示 Indicates Momentary

手柄种类 Handle options



端子种类 Terminal options



TEL: 0769-89779786 FAX: 0769-89779786
E-mail: lijialei@pady-switch.com
http://www.pady-switch.com




超小型钮子开关 Sub-Miniature Toggle Switch SMTS Series



型号说明 Ordering Information

SMTS-102-2C3T




技术特性 Specification

1. 规格 Rating: 3A 125VAC; 1.5A 250VAC
2. 接触电阻 Contact Resistance: 20mΩ max
3. 绝缘电阻 Insulation Resistance: 500VDC 1000MΩ min
4. 耐压 Dielectric Strength: 1000VAC, 1Minute
5. 操作温度 Operating Temperature: -25°C ~ +85°C
6. 电气寿命 Electrical Life: 10,000 Cycles


电路特性 Circuitry trait

01	ON	-	OFF
02	ON	-	ON
03	ON	OFF	ON


手柄种类 Handle options




铭牌 Nameplate




轴套种类 Bushing options




端子种类 Terminal options




SMTS-101 ON-OFF
SPST 2P




SMTS-102 ON-ON
SPDT 3P



SMTS-202 ON-ON
DPDT 6P



SMTS-101-A2 ON-OFF
SPST 2P



TEL: 0769-89779786 FAX: 0769-89779786


E-mail: lijialei@pady-switch.com <http://www.pady-switch.com>




超小型钮子开关 Sub-Miniature Toggle Switch SMTS Series




SMTS-102-A2 ON-ON
SPDT 3P




SMTS-202-A2 ON-ON
DPDT 6P




SMTS-101-2A1 ON-OFF
SPST 2P




SMTS-102-2A1 ON-ON
SMTS-103-2A1 ON-OFF-ON
SPDT 3P



SMTS-202-2A1 ON-ON
SMTS-203-2A1 ON-OFF-ON
DPDT 6P



SMTS-102-2C2T ON-ON
SMTS-103-2C2T ON-OFF-ON
SPDT 3P





超小型钮子开关 Sub-Miniature Toggle Switch


SMTS Series



SMTS-202-2C2T ON-ON

SMTS-203-2C2T ON-OFF-ON


DPDT 6P



SMTS-102-2C3 ON-ON

SMTS-103-2C3 ON-OFF-ON


SPDT 3P



SMTS-202-2C3 ON-ON

SMTS-203-2C3 ON-OFF-ON



DPDT 6P



SMTS-102-2C4B ON-ON

SMTS-103-2C4B ON-OFF-ON




SPDT 3P



SMTS-102-2C4 ON-ON

SMTS-103-2C4 ON-OFF-ON

SPDT 3P



SMTS-202-2C4 ON-ON

SMTS-203-2C4 ON-OFF-ON

DPDT 6P

L=4.06; 5.08

